



Dear <<First Name>>,

Welcome to Issue #17 of our Spooky2 Weekly Digest.

Important New Uploads

We have just uploaded the following updated files:

Spooky2 03032016 Full Installer uploaded

Spooky2 Cancer Protocols Pack updated

Spooky Central User's Guide 04032916 uploaded

Morgellons Protocol 2.06 update (graphics)

Get them here:

<http://www.spooky2.com/downloadsPage/index.html>

Spooky2 Blog Articles

[Essential First Step for Spooky2 Users](#)

Essential first step when you first get your Spooky2 kit.

[What is the Difference between Black \(MN\) Remote and White \(BN\) Remote?](#)

Discover the difference between Black MN Remote and White BN Remote.

[How to Get Better Results from the Pulse Finger Sensor](#)

5 steps to get better results from the Pulse finger sensor.

Spooky2 Forum Posts

[Holland Harmonic & Carrier Waves](#)

Could someone rephrase and give sample screenshots of these concepts?

[MRSA help](#)

Is there someone with experience for this?

[Program Presets](#)

I don't know how to save to the program preset box.

[How do I add a carrier?](#)

I was wondering how to run it with a carrier on the Spooky Central.

Best of health,
Echo

Spooky2 Team

Skype: echolee50

Facebook: www.facebook.com/groups/spooky2
www.facebook.com/clenspooky2

Web: www.spooky2-mall.com
www.spooky2.com

Tel: 00-86-18001581176

You are receiving this message because you are a valued spooky2-mall.com customer.

If you have questions, please feel free to contact us.



Our mailing address is:

Spooky2 Rife
Room 209, Building 7
No. 9, Shengli West Road
Nanjing, JiangSu 211106
China

[Add us to your address book](#)

Want to change how you receive these emails?
You can [update your preferences](#) or [unsubscribe from this list](#)